L Number	Hits	Search Text	DB	Time stamp
1	26083	input with microphone	USPAT;	2004/03/17
-	2000	Tilpuo William eleptores	US-PGPUB;	14:07
			EPO; JPO;	
			IBM_TDB	
2	0	input with microphone and firast with	USPAT;	2004/03/17
		input\$4 and second with input\$4	US-PGPUB;	14:07
			EPO; JPO; IBM TDB	·
3	6613	input with microphone and first with	USPAT;	2004/03/17
3	0013	input\$4 and second with input\$4	US-PGPUB;	14:08
		Tipacy i and Scotta with in-pact	EPO; JPO;	
			IBM_TDB	
4	2030	input with microphone and first with	USPAT;	2004/03/17
		input\$4 and second with input\$4 and	US-PGPUB;	14:08
		compress\$4	EPO; JPO;	
			IBM_TDB	2004/02/17
5	1120	input with microphone and first with	USPAT; US-PGPUB;	2004/03/17
		input\$4 and second with input\$4 and compress\$4 and conver\$5 with analog with	EPO; JPO;	14:00
		digital	IBM TDB	
6	386	input with microphone and first with	USPAT;	2004/03/17
~		input\$4 and second with input\$4 and	US-PGPUB;	14:09
		compress\$4 and conver\$5 with analog with	EPO; JPO;	
		digital and conver\$5 with "a/d" and	IBM_TDB	
		conver\$5 with "d/a"		2004/02/17
7	. 113	input with microphone and first with	USPAT;	2004/03/17 14:10
		input\$4 and second with input\$4 and compress\$4 and de\$compress\$4 and conver\$5	US-PGPUB; EPO; JPO;	14:10
		with analog with digital and conver\$5	IBM TDB	
		with "a/d" and conver\$5 with "d/a"	1211_122	
8	100	input with microphone and first with	USPAT;	2004/03/17
•		input\$4 and second with input\$4 and	US-PGPUB;	14:10
		compress\$4 and de\$compress\$4 and conver\$5	EPO; JPO;	
	1	with analog with digital and conver\$5	IBM_TDB	
		with "a/d" and conver\$5 with "d/a" and		
_	1.4	switch\$4	IICDAT.	2004/03/17
9	14	input with microphone and first with input\$4 and second with input\$4 and	USPAT; US-PGPUB;	14:13
		compress\$4 and de\$compress\$4 and conver\$5	EPO; JPO;	
		with analog with digital and conver\$5	IBM TDB	
	<b>l</b> .	with "a/d" and conver\$5 with "d/a" and	_	
		switch\$4 and switch\$4 with digital\$4 and		
		switch\$4 with analog		2004/02/17
10	13	input with microphone and first with	USPAT;	2004/03/17
		input\$4 and second with input\$4 and	US-PGPUB; EPO; JPO;	14:20
		compress\$4 and de\$compress\$4 and conver\$5 with analog with digital and conver\$5	IBM TDB	.
		with "a/d" and conver\$5 with "d/a" and		
		switch\$4 and switch\$4 with digital\$4 and		
		switch\$4 with analog not sony.as.		
11	13	audio and input with microphone and first	USPAT;	2004/03/17
		with input\$4 and second with input\$4 and	US-PGPUB;	14:24
		compress\$4 and de\$compress\$4 and conver\$5	EPO; JPO;	
		with analog with digital and conver\$5	IBM_TDB	
		with "a/d" and conver\$5 with "d/a" and switch\$4 and switch\$4 with digital\$4 and		
		switch\$4 with analog not sony.as.		
12	12	audio and record\$4 and input with	USPAT;	2004/03/17
		microphone and first with input\$4 and	US-PGPUB;	14:25
		second with input\$4 and compress\$4 and	EPO; JPO;	
		de\$compress\$4 and conver\$5 with analog	IBM_TDB	
		with digital and conver\$5 with "a/d" and		
		conver\$5 with "d/a" and switch\$4 and		
		switch\$4 with digital\$4 and switch\$4 with		
	1	analog not sony.as.		

13   audio and audio with records and input with microphone and first with inputs and second with inputs and compress to the manalog with digital and compress with "a/d" and convers's with memory and idevice card unit) and first adj memory and second adj compressas and memory and idevice card unit) and first adj memory and second and records and and convers's with memory and idevice card unit) and first adj memory and second and records and and convers's with "a/d" and convers's with "a/d" and convers's with "a/d" and convers's with "a/d" and convers's with malog witchs witch digitals and convers's with "alog witchs witchs witch witchs witch witchs witchs witch witchs witch witchs wi					·
14   7   audio and audio with records and input   With (microphone mike) and first with inputs   Mind   M	13	7	with microphone and first with input\$4 and second with input\$4 and compress\$4 and de\$compress\$4 and conver\$5 with analog with digital and conver\$5 with "a/d" and conver\$5 with "d/a" and switch\$4 and switch\$4 and	US-PGPUB; EPO; JPO;	
15   0   first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and input\$4 with audio first adj compress\$4 and second adj compress\$4 and memory and second adj memory and signal and controller and (determin\$4] identif\$4] with memory and record\$4 and audio and input\$4 same audio and input\$4 and input\$4 unit (microphone mike) and first with input\$4 and second with input\$4 and compress\$4 and second with input\$4 and compress\$4 and second with input\$4 and compress\$4 and conver\$5 with "a/d" and second with input\$4 and switch\$4 with analog with digital and switch\$4 with analog not sony.as. and input\$4 with and switch\$4 with analog not sony.as. and input\$4 with and switch\$4 with analog not sony.as. and input\$4 with and switch\$4 with digital\$4 and switch\$4 with analog not sony.as. and input\$4 with and sony and switch\$4 with digital\$4 and switch\$4 with digital\$4 and switch\$4 with analog not sony.as. and input\$4 with audio	14	7	audio and audio with record\$4 and input with (microphone mike) and first with input\$4 and second with input\$4 and compress\$4 and de\$compress\$4 and conver\$5 with analog with digital and conver\$5 with "a/d" and conver\$5 with "d/a" and switch\$4 and switch\$4 and	US-PGPUB; EPO; JPO;	
1 first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and input\$4 same audio audio and audio with record\$4 and input\$4 and compress\$4 and de\$compress\$4 and conver\$5 with minorophone mike) and first with input\$4 and compress\$4 and de\$compress\$4 and conver\$5 with "a/d" and conver\$5 with "d/a" and switch\$4 with analog with digital and conver\$5 with "d/a" and switch\$4 with analog not sony.as. and input\$4 with analog not sony.as. and input\$5 with "a/d" and switch\$4 with memory adj card  - 0 5091787.pn. and first with memory adj card USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPU	15	0	first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and	US-PGPUB; EPO; JPO;	•
17	16	1	first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and	US-PGPUB; EPO; JPO;	
1   5091787.pn.   USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM	17	7	audio and audio with record\$4 and input with (microphone mike) and first with input\$4 and second with input\$4 and compress\$4 and de\$compress\$4 and conver\$5 with analog with digital and conver\$5 with "a/d" and conver\$5 with "d/a" and switch\$4 and switch\$4 with analog not sony.as. and	US-PGPUB; EPO; JPO;	1
- 0 5091787.pn. and first adj memory adj card USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT	-	1		US-PGPUB; EPO; JPO;	1
Card   US-PGPUB; EPO; JPO; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; IBM_TDB   USPAT; USPAT; US-PGPUB; EPO; JPO; IBM_TDB   USPAT; USPAT	-	0		USPAT; US-PGPUB; EPO; JPO; IBM TDB	12:00
- 1 5091787.pn. and first withmemory adj card USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; USPAT	-	. 0		US-PGPUB; EPO; JPO;	1
- 1 5091787.pn. and memory adj card USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;	-	1	5091787.pn. and first withmemory adj card	USPĀT; US-PGPUB; EPO; JPO;	1
- 0 5091787.pn. and memory adj card and protected USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; 2004/03/15	-	1	5091787.pn. and memory adj card	USPĀT; US-PGPUB; EPO; JPO;	
- 2 meory adj card USPAT; 2004/03/15 US-PGPUB; EPO; JPO; IBM_TDB USPAT; 2004/03/15	-	0		USPĀT; US-PGPUB; EPO; JPO;	
- 29934 memory adj card USPAT; 2004/03/15	-	2	meory adj card	USPĀT; US-PGPUB; EPO; JPO;	
EPO; JPO; IBM TDB	-	29934	memory adj card	USPĀT; US-PGPUB; EPO; JPO;	2004/03/15 14:08

_	0	memory adj card and copy\$right\$compiant	USPAT; US-PGPUB;	2004/03/15 12:08
-	0	copy\$right\$compiant	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/15 12:09
_	. 0	copy\$right adj compiant	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/15 12:09
_	0	copyright adj compiant	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/15 12:09
_	6842598	copy\$right	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2004/03/15 12:09
-	718	. copy\$right with compl\$6	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/15 12:10
_	17	copy\$right with compl\$6 and non\$compl\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/15 12:10
-	406	copy\$right with (protect\$4 compl\$6) and (unprotect\$4 non\$compl\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 12:11
-	17	copy\$right with (protect\$4 compl\$6) and copy\$right with (unprotect\$4 non\$compl\$6)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 12:11
_	11	copy\$right with (protect\$4 compl\$6) and copy\$right with (unprotect\$4 non\$compl\$6) and memory with (device card apparatus unit)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 13:18
_	4	copy\$right with (protect\$4 compl\$6) and copy\$right with (unprotect\$4 non\$compl\$6) and memory with (device card apparatus unit) and compress\$4 and judg\$6	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 13:22
-	9	copy\$right with (protect\$4 compl\$6) and copy\$right with (unprotect\$4 non\$compl\$6) and memory with (device card apparatus	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 14:15
_	70	unit) and compress\$4 copy adj (right protect\$4 compl\$6) and (unprotect\$4 non\$compl\$6) and memory with (device card apparatus unit) and	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15
_	0	compress\$4 copy adj (right protect\$4 compl\$6) and (unprotect\$4 non\$compl\$6) and memory with (device card apparatus unit) and first	USPĀT; US-PGPUB; EPO; JPO;	2004/03/15 13:31
-	6118	adj compress\$4 first adj compress\$4 and second adj compress\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/15 13:31
-	283	first adj compress\$4 and second adj compress\$4 and memory adj (device card unit)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/15 13:39
_	1	first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and copy adj (protect\$4 right)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:11

-	3	first adj compress\$4 and second adj	USPAT;	2004/03/15
		compress\$4 and memory adj (device card	US-PGPUB;	13:41
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and (attach\$4 insert\$4) with	IBM_TDB	
·	7472	(memory card) memory adj card and copy\$right\$4	USPAT;	2004/03/15
_	.7473	memory adj card and copysinghts	US-PGPUB;	14:08
		•	EPO; JPO;	11100
	ļ	'	IBM TDB	
_	0	memory adj card and copy\$right\$4 and	USPAT;	2004/03/15
_		memory adj protect\$4 and memory adj	US-PGPUB;	14:08
		unprotect\$4	EPO; JPO;	
		displaced of 1	IBM TDB	
_	l 0	memory adj card and copy\$right\$4 and	USPĀT;	2004/03/15
		memory adj protect\$4 and memory adj	US-PGPUB;	14:09
		(unprotect\$4 "not protected")	EPO; JPO;	
		·	IBM_TDB	
-	0	memory adj card and copy\$right\$4 and	USPAT;	2004/03/15
		memory adj (copy\$right protect\$4) and	US-PGPUB;	14:09
		memory adj (unprotect\$4 "not protected")	EPO; JPO;	ĺ
		·	IBM_TDB	
-	0		USPAT;	2004/03/15
	1	memory adj (copy\$right protect\$4) and	US-PGPUB;	14:10
		non\$protect\$4	EPO; JPO;	
			IBM_TDB	2004/02/25
-	0	memory adj card and copy\$right\$4 and	USPAT;	2004/03/15
		memory adj (copy\$right protect\$4) and	US-PGPUB;	14:10
		un\$protect\$4	EPO; JPO;	1
		11	IBM_TDB USPAT;	2004/03/15
-	0	memory adj card and copy\$right\$4 and	US-PGPUB;	14:10
		memory adj (copy\$right protect\$4) and	EPO; JPO;	14.10
		"not protect\$"	IBM TDB	. ]
	0	memory adj card and copy\$right\$4 and	USPAT;	2004/03/15
_		memory adj (copy\$right protect\$4) and	US-PGPUB;	14:11
		un\$protect\$4	EPO; JPO;	
	1	disprocects	IBM TDB	,
_	4	copy\$right with (protect\$4 compl\$6) and	USPAT;	2004/03/15
	1	copy\$right with (unprotect\$4 non\$compl\$6)	US-PGPUB;	14:11
		and memory with (device card apparatus	EPO; JPO;	
		unit) and compress\$4 and judg\$4	IBM_TDB	
-	29934	memory adj card	USPAT;	2004/03/15
			US-PGPUB;	14:15
			EPO; JPO;	
			IBM_TDB	1 0004/00/15
-	8		USPAT;	2004/03/15
		and un\$protected adj memory and signal	US-PGPUB;	14:15
		•	EPO; JPO;	
	,		IBM_TDB	2004/03/15
-	11	memory adj card and protected adj memory	USPAT;	2004/03/15
		and un\$protected adj memory	US-PGPUB; EPO; JPO;	17.22
			IBM TDB	
.		dididi h (_tto_h01 incout01	USPAT;	2004/03/15
-	1	memory adj card with (attach\$4 insert\$4 connect\$4) and protected adj memory and	US-PGPUB;	14:23
		un\$protected adj memory and	EPO; JPO;	
		disprotected adj memory	IBM TDB	
_	2	memory adj (unit module card) with	USPAT;	2004/03/15
] -	1	(attach\$4 insert\$4 connect\$4) and	US-PGPUB;	14:25
		protected adj memory and un\$protected adj	EPO; JPO;	
		memory	IBM TDB	
_	9	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/15
		un\$protect\$4 adj memory with card	US-PGPUB;	14:27
			EPO; JPO;	
		·	IBM_TDB	
-	0		USPĀT;	2004/03/15
		device) and un\$protect\$4 adj memory adj	US-PGPUB;	14:29
		(unit device card)	EPO; JPO;	
			IBM_TDB	
		A rest to the second se		

		· · · · · · · · · · · · · · · · · · ·		
-	0	(copy\$right\$4 protect\$4) adj memory adj	USPAT;	2004/03/15
		(unit card device) and unsprotects4 adj	US-PGPUB;	14:30
		memory adj (unit device card)	EPO; JPO;	
		(	<pre>IBM_TDB USPAT;</pre>	2004/03/15
-	20	<pre>(copy\$right\$4 protect\$4) adj memory with (unit card device) and un\$protect\$4 adj</pre>	US-PGPUB;	14:32
		memory with (unit device card)	EPO; JPO;	11.32
		memory with (diff device card)	IBM TDB	
_	4	(copy\$right\$4 protect\$4) adj memory with	USPAT;	2004/03/15
	•	(unit card device) and un\$protect\$4 adj	US-PGPUB;	14:38
		memory with (unit device card) and audio	EPO; JPO;	
		-	IBM_TDB	· ·
_	7	(copy\$right\$4 protect\$4) adj memory with	USPAT;	2004/03/15
		(unit card device) and unsprotects4 adj	US-PGPUB;	14:31
		memory with (unit device card) and media	EPO; JPO;	
		/ A .	IBM_TDB USPAT;	2004/03/15
-	13	(copy\$right\$4 protect\$4) adj memory with (unit card device) and un\$protect\$4 adj	US-PGPUB;	14:32
		memory with (unit device card) not audio	EPO; JPO;	14.52
		not media	IBM TDB	
	5	(copy\$right\$4 secure protect\$4) adj	USPAT;	2004/03/15
		memory with (unit card device) and	US-PGPUB;	14:40
		(in\$secure un\$protect\$4) adj memory with	EPO; JPO;	
		(unit device card) and audio	IBM_TDB	
-	6	(copy\$right\$4 secure protect\$4) adj	USPAT;	2004/03/15
		(storage memory) with (unit card device)	US-PGPUB;	14:41
		and (in\$secure un\$protect\$4) adj (storage memory) with (unit device card) and audio	EPO; JPO; IBM TDB	
	1	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/15
-	*	6436233.pii.	US-PGPUB;	14:42
		,	EPO; JPO;	
			IBM_TDB	
_	1	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
			US-PGPUB;	14:42
			EPO; JPO;	
		stocoos turity and ammentanted	IBM_TDB USPAT;	2004/03/15
-	0		US-PGPUB;	14:42
		and copy\$right	EPO; JPO;	13.32
			IBM TDB	
_	1	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
		and copy adj protect\$4	US-PGPUB;	14:43
			EPO; JPO;	
			IBM_TDB	2004/03/15
-	0	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
		and copy adj protect\$4 and (memory	US-PGPUB; EPO; JPO;	14:42
	1	storage) adj card	IBM TDB	
_	1	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
		and copy adj protect\$4 and (memory	US-PGPUB;	14:43
		storage) adj device	EPO; JPO;	
			IBM_TDB	
-	0		USPAT;	2004/03/15
		and copy adj protect\$4 and (memory	US-PGPUB;	14:43
		storage) adj device and protected adj	EPO; JPO; IBM TDB	
		memory adj device 6438235.pn. and protected and unprotected	USPAT;	2004/03/15
-	0	and copy adj protect\$4 and (memory	US-PGPUB;	14:43
	·	storage) adj device and protected with	EPO; JPO;	
		memory adj device	IBM_TDB	,
-	0	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
·		and copy adj protect\$4 and (memory	US-PGPUB;	14:43
	1	storage) adj device and protect\$4 with	EPO; JPO;	
		memory adj device	IBM_TDB	2004/03/15
-	0	6438235.ph. and protected and unprotected and copy adj protect\$4 and (memory	USPAT; US-PGPUB;	14:44
	1	and copy adj protect\$4 and (memory   storage) adj device and protect\$4 with	EPO; JPO;	
]		memory and unsprotected with memory	IBM TDB	
L	<u> </u>	momenty and antitroccount areas memory		

-	0	6438235.pn. and protected and unprotected	USPAT;	2004/03/15
		and copy adj protect\$4 and (memory	US-PGPUB;	14:44
		storage) adj device and protect\$4 with	EPO; JPO;	
		memory and unsprotects4 with memory	IBM_TDB USPAT;	2004/03/15
-	0	6438235.pn. and protected and unprotected	US-PGPUB;	14:44
		and copy adj protect\$4 and (memory storage) adj device and protect\$4 with	EPO; JPO;	1 1 1 1 1 1
		memory and "not protected" with memory	IBM TDB	1
,	,	l	USPAT;	2004/03/15
<del>-</del>	1	and copy adj protect\$4 and (memory	US-PGPUB;	14:44
		storage) adj device and protect\$4 with	EPO; JPO;	
		memory	IBM TDB	
_	36	1	USPAT;	2004/03/16
_	30	memory adj (copy\$right protect\$4)	US-PGPUB;	10:34
		memory day (oop14119Ho P144114)	EPO; JPO;	
		·	IBM TDB	
	0	first adj compress\$4 and second adj	USPAT;	2004/03/15
		compress\$4 and memory adj (device card	US-PGPUB;	15:11
		unit) and copy adj (protect\$4 right) and	EPO; JPO;	
		judg\$4	IBM_TDB	
_	31	first adj compress\$4 and second adj	USPAT;	2004/03/15
		compress\$4 and memory adj (device card	US-PGPUB;	15:11
		unit) and first adj memory and second adj	EPO; JPO;	
		memory	IBM_TDB	
-	7	first adj compress\$4 and second adj	USPAT;	2004/03/15
		compress\$4 and memory adj (device card	US-PGPUB;	15:11
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal adj compress\$4	IBM_TDB	0004/02/15
-	29		USPAT;	2004/03/15
	İ	compress\$4 and memory adj (device card	US-PGPUB;	15:12
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal	IBM_TDB	2004/03/15
-	15	first adj compress\$4 and second adj	USPAT;	15:12
	İ	compress\$4 and memory adj (device card	US-PGPUB; EPO; JPO;	15:12
		unit) and first adj memory and second adj	IBM TDB	
	11	memory and signal and controller	USPAT;	2004/03/15
_	11	first adj compress\$4 and second adj compress\$4 and memory adj (device card	US-PGPUB;	15:13
		unit) and first adj memory and second adj	EPO; JPO;	13113
		memory and signal and controller and	IBM TDB	
		(determin\$4 identif\$4) with memory		
_	7	l '	USPAT;	2004/03/15
	·	compress\$4 and memory adj (device card	US-PGPUB;	15:13
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal and controller and	IBM_TDB	
		(determin\$4 identif\$4) with memory and	-	
		record\$4	1	
-	2	first adj compress\$4 and second adj	USPAT;	2004/03/17
		compress\$4 and memory adj (device card	US-PGPUB;	15:00
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal and controller and	IBM_TDB	
		(determin\$4 identif\$4) with memory and		
		record\$4 and audio	HCDATT-	2004/03/15
_	1		USPAT; US-PGPUB;	15:15
		compress\$4 and memory adj (device card	EPO; JPO;	13.13
	1	unit) and first adj memory and second adj	IBM_TDB	
		memory and signal and controller and	1011-100	
	1	(determin\$4 identif\$4) with memory and		
		record\$4 and audio and protect\$4 first adj compress\$4 and second adj	USPAT;	2004/03/15
_	0	compress\$4 and memory adj (device card	US-PGPUB;	15:16
		unit) and first adj memory and second adj	EPO; JPO;	
	1	memory and signal and controller and	IBM TDB.	
		(determin\$4 identif\$4) with memory and		
		record\$4 and audio and (secur\$4		
		protect\$4) with memory		
		1	<del></del>	·

-	0	first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:16
-	. 0	protect\$4) with storage first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:16
-	2	record\$4 and audio and (secur\$4 protect\$4) and (un\$secur\$4 un\$protect\$4) first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:17
-	2	protect\$4) first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:17
-	2	protect\$4) and convert\$4 first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 15:17
-	2	protect\$4) and convert\$4 with digital first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4 protect\$4) and convert\$4 with digital	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 12:08
-	1	with analog first adj compress\$4 and second adj compress\$4 and memory adj (device card unit) and first adj memory and second adj memory and signal and controller and (determin\$4 identif\$4) with memory and record\$4 and audio and (secur\$4 protect\$4) and convert\$4 with digital with analog and protect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 10:20
	3	memory adj (cartrige card) and copy\$right\$4 and memory adj (copy\$right protect\$4) and (cartrige card) with	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/16
-	13	(insert\$4 attach\$4) memory adj (cartridge card) and copy\$right\$4 and memory adj (copy\$right protect\$4) and (cartridge card) with	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/16
-	18	<pre>(insert\$4 attach\$4) (storage memory) adj (cartridge card) and copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/16
_	0	(storage memory) adj (cartridge card) and copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 10:44
		first adj (storage memory) and second adj (storage memory) and (un\$protect\$4 "not protected" "no protection")		

		•		
-	0	(storage memory) adj (cartridge card) and copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and first adj (storage memory) and second adj (storage memory) and (un\$protect\$4 "not protected" "no protection" "no copyright")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 10:44
-	3	(storage memory) adj (cartridge card) and copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and first adj (storage memory) and second adj	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 10:55
_		copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and un\$protect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 10:55
	4	(storage memory) adj (cartridge card) and copy\$right\$4 and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and un\$protect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 11:04
-	0	(storage memory) adj (cartridge card) and (copy\$right\$4 protect\$4) and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and un\$protect\$4 and first adj (memory storage card) with (protect\$4 copy\$right\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 11:06
_	1	1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 11:06
_	1	(storage memory) adj (cartridge card) and (copy\$right\$4 protect\$4) and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and un\$protect\$4 and first adj (memory storage card) and second adj (memory storage card)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16
-	15	(storage memory) adj (cartridge card) and (copy\$right\$4 protect\$4) and (storage memory) adj (copy\$right protect\$4) and (cartridge module card) with (insert\$4 attach\$4) and un\$protect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/16 11:08
_	612		USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17
_	387	first adj memory with card and second adj memory with card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17
-	211	first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card	USPĀT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17
_	116	1	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17 09:05
-	66	first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card and (protect\$4 secur\$4 copy\$right\$4) with memory with card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 09:05

Search History 3/17/04 4:01:40 PM Page 8

	12	first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card with first with second and (protect\$4 secur\$4 copy\$right\$4) with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 09:05
_	.5	memory with card first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card with first with second and (protect\$4 secur\$4 copy\$right\$4) with memory with card and (unsecur\$4 insecur\$4 "not protected" unprotect\$4) with memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 09:08
-	3	first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card with first with second and (protect\$4 secur\$4 copy\$right\$4) with memory with card and (unsecur\$4 insecur\$4 "not protected" unprotect\$4) with memory with card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 09:08
_	9	first adj memory with card and second adj memory with card and (judg\$4 select\$4 determin\$4 identif\$4) with memory with card and (protect\$4 secur\$4 copy\$right\$4) with memory with card and (unsecur\$4 insecur\$4 "not protected" unprotect\$4) with memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 10:34
-	30	atrac and adpcm	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 10:45
-	20	atrac with compress\$4 and adpcm with compress\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17   10:45
_	3	atrac with compress\$4 and adpcm with compress\$4 and first adj compress\$4 and second adj compress\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17
_	22	atrac and adpcm not sony.as.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17 10:45
-	0	atrac with compress\$4 and adpcm with compress\$4 and first adj compress\$4 and second adj compress\$4 not sony.as.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17
-	14	atrac with compress\$4 and adpcm with compress\$4 not sony.as.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/17 10:52
_	7	atrac with compress\$4 and adpcm with compress\$4 not sony.as. and convert\$4 with analog with digital	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 11:33
_	3	atrac with compress\$4 and adpcm with compress\$4 not sony.as. and convert\$4 with analog with digital and "a/d" and "d/a"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 10:53
-	0	atrac with compress\$4 and adpcm with compress\$4 not sony.as. and convert\$4 with analog with digital and compress\$4 with superior	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 11:31
-	0	atrac with compress\$4 and adpcm with compress\$4 not sony.as. and convert\$4 with analog with digital and compress\$4 same superior	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/17 11:31

			<del></del>	2004/02/17
-	1	atrac with compress\$4 and adpcm with	USPAT;	2004/03/17
		compress\$4 not sony.as. and convert\$4	US-PGPUB;	11:33
		with analog with digital and superior	EPO; JPO;	
			IBM_TDB	
_	l 0	first adj compress\$4 and second adj	USPAT;	2004/03/17
•		compress\$4 and memory adj (device card	US-PGPUB;	12:08
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal and controller and	IBM TDB	
		(determin\$4 identif\$4) with memory and	_	
		record\$4 and audio and (secur\$4		
•		protect\$4) and convert\$4 with digital		
		with analog and video and audio and game		
	2	first adj compress\$4 and second adj	USPAT;	2004/03/17
	-	compress\$4 and memory adj (device card	US-PGPUB;	12:09
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal and controller and	IBM TDB	
		(determin\$4 identif\$4) with memory and		
		record\$4 and audio and (secur\$4		
		protect\$4) and convert\$4 with digital		
		with analog and video and audio		
	1	first adj compress\$4 and second adj	USPAT;	2004/03/17
-	1	compress\$4 and memory adj (device card	US-PGPUB;	14:06
		unit) and first adj memory and second adj	EPO; JPO;	
		memory and signal and controller and	IBM TDB	
		(determin\$4 identif\$4) with memory and	1	
	1	record\$4 and audio and (secur\$4		
1	1			
		protect\$4) and convert\$4 with digital		
		with analog and video with audio	L	